



# HP DesignJet Z9+dr 44-in PostScript Printer with V- Trimmer (X9D24A)

## Overview



**Professional photo prints, fast and simple. More quality with fewer inks.**

Deliver photo-quality prints 2.5 times faster<sup>[1]</sup> without losing quality. Cut post-processing time up to 20% with the first printer to include an integrated vertical trimmer.<sup>[2]</sup> Simplify your workflow with new tools in the HP Applications Center.<sup>[3]</sup>

### **AMAZING—Deliver high quality with confidence**

Impress the most demanding customers with smooth transitions and sharp details thanks to HP Pixel Control.

### **SIMPLE—New tools for you and your customers**

Easily design applications from posters to banners and canvas with the HP Applications Center.<sup>[3]</sup>

### **FAST—Work without delays**

Cut post-processing labor time up to 20% with the first printer to include an integrated vertical trimmer.<sup>[2]</sup>

---

*[1] Based on internal HP testing. Up to 2.5 times faster printing compared to the HP DesignJet Z3200 Photo Printer series. May vary depending on print mode and media type.*

*[2] Vertical trimmer and dual rolls included with the HP DesignJet Z9+dr 44-in PostScript® Printer with V- Trimmer only. Up to 20% reduction in post-processing labor time based on internal HP testing compared to HP DesignJet Z9+dr series printers without built-in vertical trimmer.*

*[3] Requires an HP Applications Center account, Internet connection, and connected Internet-capable device. For more information, see <http://www.hpapplicationscenter.com>.*

## Specifications

<b>Print quality color (best)</b>	Up to 2400 x 1200 optimized dpi
<b>Functions</b>	Print
<b>Connectivity, standard</b>	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab); USB Type-A host port
<b>Mobile printing capability</b>	Direct print from mobile apps on iOS, Android and Chrome OS; email printing with HP ePrint and HP Smart app for iOS and Android.
<b>Software included</b>	Printer drivers, HP Click, HP Web Jetadmin, HP JetAdvantage Security Manager, HP DesignJet Utility including HP Color Center, HP Partner Link Pay-per-use, HP MPS
<b>ENERGY STAR® certified</b>	Yes
<b>Minimum dimensions (W x D x H)</b>	1802 x 695 x 998 mm
<b>Minimum dimensions (W x D x H)</b>	71 x 27.4 x 39.3 in
<b>Weight</b>	98 kg
<b>Weight</b>	216 lb
<b>Power consumption</b>	< 100 W (printing); < 32 W (ready); < 0.3 W (< 6.5 W with embedded Digital Front End) (sleep); 0.1 W (off)
<b>Environmental certification</b>	ENERGY STAR; ErP; WEEE; RoHS (EU, China, Korea, India); REACH; EPEAT Silver
<b>What's in the box</b>	HP DesignJet Z9+ PostScript Printer; printheads; introductory ink cartridges; printer stand and media bin; spindle; 3-in core adapter; quick reference guide; setup poster; power cord
<b>Services (Care Pack)</b>	U9ZF7E HP 3 year Next Business Day plus Defective Media Retention Support;U9ZF9E HP 5 year Next Business Day plus Defective Media Retention Support;U9ZGOPE HP 1 year Post Warranty, Next Business Day plus Defective Media Retention Support;H4518E HP Network Installation Service with Network Setup
<b>Warranty</b>	One-year limited hardware warranty

## Additional specifications

<b>Accessories</b>	CN538A HP DesignJet 3-in Core Adapter;G6H51B HP HD Pro 42-in Scanner;G6H50B HP SD Pro 44-in Scanner;N7P47A HP USB 3.0 to Gigabit LAN Adapter;Q6709A HP DesignJet 44-in Spindle;1QF38A HP DesignJet 44-in Take-up Reel;2QX55A HP Gloss Enhancer Upgrade Kit
<b>Acoustic power emissions</b>	6.3 B(A)
<b>Acoustic power emissions (sleep)</b>	<3.4 B(A)
<b>Acoustic power emissions (standby)</b>	5.1 B(A)
<b>Acoustic pressure emissions</b>	45 dB(A)
<b>Acoustic pressure emissions (sleep)</b>	<16 dB(A)
<b>Acoustic pressure emissions (standby)</b>	33 dB(A)
<b>Color Stability</b>	< 1 dE2000 in less than 5 minutes[8]
<b>Color accuracy</b>	Median < 1.6 dE2000, 95% of colors < 2.8 dE2000[7]
<b>Color(s) of printing supplies</b>	Cyan, magenta, yellow, matte black, photo black, chromatic red, chromatic green, chromatic blue, gray
<b>Electromagnetic compatibility</b>	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS)
<b>Finished output handling</b>	Two automatic roll feeds, smart roll-switching, top sheet feed, media output bin, automatic horizontal cutter and vertical trimmer (cuts all HP Z-series printer-qualified media, including most canvas)
<b>Guaranteed minimum line width</b>	0.0031 in (ISO/IEC 13660:2001(E))[6]
<b>Guaranteed minimum line width</b>	0.08 mm (ISO/IEC 13660:2001(E))[6]
<b>Ink drop</b>	7/3 pl dual-drop weight (M, C, PK, CB, G); 6 pl single-drop weight (Y, CR, MK, CG)
<b>Ink types</b>	Pigment-based
<b>Internal Storage</b>	500 GB self-encrypting
<b>Line accuracy</b>	±0.1%[5]
<b>Maximum optical density (black)</b>	4 L* min/2.5 D[8]
<b>Media sizes standard (metric rolls)</b>	210 to 1118-mm wide sheets; 279 to 1118-mm rolls
<b>Media sizes standard (sheets, rolls)</b>	8.3 to 44-in wide sheets; 11 to 44-in rolls
<b>Media sizes supported</b>	A, B, C, D, E
<b>Media sizes supported</b>	A4, A3, A2, A1, A0
<b>Media sizes, custom</b>	8.3 x 11 to 44 x 66 in
<b>Media sizes, custom</b>	210 x 279 to 1118 x 1676 mm
<b>Media thickness</b>	Up to 0.8 mm

<b>Media thickness</b>	Up to 31.5 mil
<b>Media types</b>	Photographic, fine art printing material, self-adhesive, banner and sign, bond and coated, backlit
<b>Media weight, recommended</b>	80 to 500 g/m <sup>2</sup>
<b>Media width, maximum</b>	44 in
<b>Media width, maximum</b>	1118 mm
<b>Memory</b>	128 GB (virtual)[9]
<b>Model size</b>	1118 mm
<b>Model size</b>	44 in
<b>Network ready</b>	Standard
<b>Non-printable area (cut-sheet)</b>	5 x 17 x 5 x 5 mm
<b>Non-printable area (cut-sheet)</b>	0.2 x 0.67 x 0.2 x 0.2 in
<b>Non-printable area (roll media)</b>	Borderless on all media with V-Trimmer[4]
<b>Non-printable area (roll media)</b>	Borderless on all media with V-Trimmer[4]
<b>Number of print cartridges</b>	9 (cyan, magenta, yellow, matte black, photo black, chromatic red, chromatic green, chromatic blue, gray), optional gloss enhancer
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	41 to 104°F
<b>Operating temperature range</b>	5 to 40°C
<b>Package dimensions (W x D x H)</b>	1950 x 766 x 718 mm
<b>Package dimensions (W x D x H)</b>	76.8 x 30.2 x 28.3 in
<b>Package weight</b>	137 kg
<b>Package weight</b>	302 lb
<b>Power</b>	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max
<b>Print Technology</b>	Ink
<b>Print cartridge volume delivered</b>	HP 746 Ink Cartridge: cyan, magenta, chromatic red, yellow, matte black, photo black (300 ml); HP 747 Ink Cartridge: chromatic green, chromatic blue, gray (300 ml)
<b>Print head nozzles</b>	2112 per color
<b>Print heads</b>	5 universal printheads (valid for all colors)
<b>Print languages</b>	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP-GL/2, HP-RTL
<b>Print repeatability</b>	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000[8]
<b>Print speed</b>	769 ft <sup>2</sup> /hr[1]
<b>Print speed</b>	71.4 m <sup>2</sup> /hr[1]
<b>Print speed color image (best, glossy paper)</b>	48 ft <sup>2</sup> /hr[1]

<b>Print speed color image (best, glossy paper)</b>	4.5 m <sup>2</sup> /hr[1]
<b>Print speed color image (draft, coated paper)</b>	538 ft <sup>2</sup> /hr[1]
<b>Print speed color image (draft, coated paper)</b>	50 m <sup>2</sup> /hr[1]
<b>Print speed color image (normal, coated paper)</b>	17.2 m <sup>2</sup> /hr[1]
<b>Print speed color image (normal, coated paper)</b>	185 ft <sup>2</sup> /hr[1]
<b>Print speed color image (normal, glossy paper)</b>	8.6 m <sup>2</sup> /hr[1]
<b>Print speed color image (normal, glossy paper)</b>	93 ft <sup>2</sup> /hr[1]
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer drivers included</b>	Raster and PostScript drivers for Windows and macOS; PDF driver for Windows
<b>Product logos</b>	Adobe PostScript 3; Adobe PDF Print Engine 4; ENERGY STAR; EPEAT Silver; Gold IPv6 Ready; HP DreamColor Technologies; HP Pixel Control; i1 Color Technology; Mac; PANTONE* Digital Color; Windows 10 Compatible
<b>Recommended media</b>	Q6581A HP Universal Instant-dry Satin Photo Paper (FSC® certified)[11] (Recyclable)[12] 1067 mm x 30.5 m (42 in x 100 ft);E4J57A HP Artist Matte Canvas 1118 mm x 15.2 m (44 in x 50 ft);C6569C HP Heavyweight Coated Paper (FSC® certified)[11] (Recyclable)[12] 1067 mm x 30.5 m (42 in x 100 ft);CH025A HP Everyday Matte Polypropylene, 2 Pack (Recyclable)[12] 1067 mm x 30.5 m (42 in x 100 ft);CG460B HP Premium Matte Photo Paper (FSC® certified)[11] (Recyclable)[12] 914 mm x 30.5 m (36 in x 100 ft)
<b>Roll external diameter</b>	5.3 in
<b>Roll external diameter</b>	135 mm
<b>Roll maximum input</b>	2
<b>Roll maximum weight</b>	13.5 kg
<b>Roll maximum weight</b>	29.8 lb
<b>Safety</b>	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)
<b>Security features</b>	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypted HDD, PIN printing
<b>Storage temperature range</b>	-13 to 131°F
<b>Storage temperature range</b>	-25 to 55°C
<b>Supported Primary Applications</b>	Digital fine art; Exhibition and event graphics; Graphics design; Photos; Point of sale/display; Posters

**Theoretical minimum line width** 0.02 mm (PDF addressable @ 1200 dpi)

**Theoretical minimum line width** 0.0008 in (PDF addressable @ 1200 dpi)

**Web address for additional information** <http://www.hp.com/go/designjetZ9>

---

## Scanners

### Large Format Scanners

HP HD Pro 42-in Scanner

G6H51B

HP SD Pro 44-in Scanner

G6H50B

## Accessories

### Paper Handling

#### Roll Core Adapters

HP DesignJet 3-in Core Adapter

CN538A

#### Spindles

HP DesignJet 44-in Spindle

Q6709A

#### Take-up Reels

HP DesignJet 44-in Take-up Reel

1QF38A

### Docking and Port Replicators

#### Port Replicators

HP USB 3.0 to Gigabit LAN Adapter

N7P47AA

### Ink Supplies

#### HP Graphic Arts Inks/Printheads

HP 747 300-ml Chromatic Green DesignJet Ink Cartridge	P2V84A
HP 747 300-ml Gray DesignJet Ink Cartridge	P2V86A
HP 747 300-ml Gloss Enhancer DesignJet Ink Cartridge	P2V87A
HP 746 300-ml Photo Black DesignJet Ink Cartridge	P2V82A
HP 746 300-ml Chromatic Red DesignJet Ink Cartridge	P2V81A
HP 746 DesignJet Printhead	P2V25A
HP 746 300-ml Yellow DesignJet Ink Cartridge	P2V79A
HP 746 300-ml Cyan DesignJet Ink Cartridge	P2V80A
HP 746 300-ml Magenta DesignJet Ink Cartridge	P2V78A
HP 746 300-ml Matte Black DesignJet Ink Cartridge	P2V83A
HP 747 300-ml Chromatic Blue DesignJet Ink Cartridge	P2V85A

---

### Disclaimer — Copyright

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.